

Message

---

**From:** Corbett, Chris [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FE55FEF45D5A466FB7B9AE7BCC811B64-CCORBETT]  
**Sent:** 4/26/2021 9:12:17 PM  
**To:** Sklaney, Christopher [sklaney.christopher@epa.gov]  
**Subject:** RE: Keystone WP Outline

Lets discuss tomorrow. Busy day.

---

**From:** Sklaney, Christopher <sklaney.christopher@epa.gov>  
**Sent:** Monday, April 26, 2021 3:04 PM  
**To:** Corbett, Chris <Corbett.Chris@epa.gov>  
**Subject:** Keystone WP Outline

Chris – Do you think you would have a chance to glance at this and let me know what you think? Only glance over, don't feel like you have to get too far into the weeds. I'd just like to hear what you think.

## Ex. 5 Deliberative Process (DP)

Anyway – feel free to call to go over if that's easier. I want to approve/comment on the WP as soon as I can, no later than 30 days from date of submission. Have to keep this moving.

Thanks - Chris

Christopher Sklaney  
Remedial Project Manager  
Superfund & Emergency Management Division  
U.S. Environmental Protection Agency Region 3  
1650 Arch Street (Mail Code 3SD21)  
Philadelphia, PA 19103  
215-814-3198 | office  
[sklaney.christopher@epa.gov](mailto:sklaney.christopher@epa.gov) | email